v1.19_ SSO

- SSO :
- SSO :
- SSO
- SSO
- SSO

SSO (Single Sign On) — , , , .



1 - SSO

SSO :

- **/etc/eltex-wifi-cab/system.xml**
  SSO .

```
    <!-- SSO Settings -->
    <entry key="sso.enabled">false</entry>
    <entry key="sso.redirectUri">http://localhost:8080/wifi-cab/sso</entry>
    <entry key="sso.clientSecret"></entry>
    <entry key="sso.clientId"></entry>

    <!-- SSO Auth -->
    <entry key="sso.auth.server.protocol">http</entry>
    <entry key="sso.auth.server.address"></entry>
    <entry key="sso.auth.server.port">80</entry>

    <entry key="sso.auth.auth.path">/auth/realms/b2b/protocol/openid-connect/auth</entry>
    <entry key="sso.auth.logout.path">/auth/realms/b2b/protocol/openid-connect/logout</entry>

    <!-- SSO REST -->
    <entry key="sso.rest.server.protocol">http</entry>
    <entry key="sso.rest.server.address"></entry>
    <entry key="sso.rest.server.port">80</entry>
    <entry key="sso.rest.server.timeout.sec">10</entry>
    <entry key="sso.rest.protocol.version">2.0</entry>
    <entry key="sso.rest.username"></entry>
    <entry key="sso.rest.password"></entry>

    <entry key="sso.rest.getToken.path">/apiman-gateway/sso_b2b/getToken</entry>
    <entry key="sso.rest.getUserInfo.path">/apiman-gateway/sso_b2b/getUserInfo</entry>
    <entry key="sso.rest.addUser.path">/apiman-gateway/sso_b2b/addUser</entry>
    <entry key="sso.rest.updateUser.path">/apiman-gateway/sso_b2b/updateUser</entry>
    <entry key="sso.rest.delUser.path">/apiman-gateway/sso_b2b/delUser</entry>
    <entry key="sso.rest.addUserParam.path">/apiman-gateway/sso_b2b/addUserParam</entry>
    <entry key="sso.rest.delUserParam.path">/apiman-gateway/sso_b2b/delUserParam</entry>
    <entry key="sso.rest.getUserByName.path">/apiman-gateway/sso_b2b/getUserByName</entry>
    <entry key="sso.rest.resetPassword.path">/apiman-gateway/sso_b2b/resetPassword</entry>
    <entry key="sso.rest.getUserByParam.path">/apiman-gateway/sso_b2b/getUserByParam</entry>
```

sso.enabled	SSO (true/false)
sso.redirectUri	, SSO
sso.clientSecret	
sso.clientId	, SSO
sso.auth.server.protocol	Auth- SSO
sso.auth.server.address	Auth- SSO
sso.auth.server.port	Auth- SSO
sso.rest.server.protocol	REST API SSO
sso.rest.server.address	REST API SSO
sso.rest.server.port	REST API SSO
sso.rest.servertimeout.sec	REST API SSO (.)
sso.rest.protocol.version	SSO (1.0 2.0)
sso.rest.username	SSO ( )

sso.rest.password	SSO ( )

SSO :

/etc/eltex-portal-constructor/application.conf
SSO .

```
sso {
    enabled = false
    version = "2.0"

    rest {
        scheme = http
        host = localhost
        port = 80
        sso_api_path = /apiman-gateway/b2b_test
    }
    auth {
        scheme = http
        host = localhost
        port = 80
        authentication_path = /auth/realms/b2b/protocol/openid-connect/auth
        logout_path = /auth/realms/b2b/protocol/openid-connect/logout
    }

    params {
        client_id = id
        # URL of epadmin, URL must be in double quotes (!!!)
        redirect_uri = "http://localhost:8080/epadmin/sso"
        client_secret = secret
    }
}
```

enabled	SSO (true/false)
version	SSO (1.0 2.0)
rest	REST API SSO
auth	Auth- SSO
scheme	SSO-
port	SSO-
client_id	, SSO
client_secret	
redirect_uri	, SSO
authentication_path	URL SSO
logout_path	URL SSO
sso_api_path	URL REST API SSO

tomcat (**service tomcat7 restart**) .

SSO

- SSO SSO, SSO . default_platform_xxx . , SSO - 409 (2).



2 - , SSO.

- SSO. "", " " (3) " SSO". SSO(:404 - ; :200 - JSON-)



3 - SSO

- SSO. "", " " " SSO". "" . , . .



4 - SSO

SSO

SSO SSO, email:

- , , SSO, - , SSO .
- , , SSO, - .

SSO

SSO http://<ip->:8080/wifi-cab/ http://<ip->:8080/epadmin/ SSO. , SSO (, SSO) http://<ip->:8080/wifi-cab/local_auth http://<ip->:8080/epadmin/local_auth