


- SZ-GLB
  - SZ-PIR rev.B
  - SZ-MCT rev.B

SZ-GLB

SZ-GLB — , . « » . FLiRS , .

	Li-ion CR123A, 3
	869
	100 ( )
	90°
	120°
	0,1 <sup>2</sup>
	IP40
( )	90x57x34
( )	100
	5
	-10°C +55°
+35°	93%
	+14


- ( ).  
— 2 .  
(4),



1 – сервисная кнопка  
2 – микрофон  
3 – световые индикаторы  
4 – защитная пластина

! 3–5 , . , 3–5 .

1. .
2. .
3. 3 .
4. (. 1).
5. (. 2).
6. (. 3).
7. .
8. (. 4).



SZ-GLB 2 :

- ;
- .

5 15 .

« » « » .

:

1.

2. « » « » .

« » . 60 ( ) .

« » . « » 30 , . . . « » .

« ». 10 1 . — 1 . , , .

2 , « » . . . . , . . . , . . . , .

, . . / . 12 .

## SZ-PIR rev.B

SZ-PIR rev.B — , . . . . Z-Wave . FLiRS , .

Li-ion CR123A, 3

	869
	100 ( )
( )	8
	6
	0,3 3,0 /
	IP40
	16
	40
()	90x58x45
( )	100
	5
	-10°C +55°
+35°	93%
	+13

, , . . . (, , ..), . . . .


(, , ..) «», .

, .

2,0 2,5 .

2 10 , — 87°.

(4), .




- 1 – переключатель чувствительности
- 2 – сервисная кнопка
- 3 – световой индикатор
- 4 – защитная пластина



3-5 , . , 3-5 .

- 2.
- 3.
4. (. 1).
5. (. 2).
6. (. 3).
- 7.
8. (. 4).



SZ-PIR rev.B 2 :

• ;  
• .

. 5 15 .

« » « » .

:

1.  
2. « » « » .

« » . 60 () .

« » . « » 30 , . . . . « » .

« » . 10 1 . — 1 . , , .

2 , « ». . . . . , ( ) ( ). , , . . . , .


, . . / . 12 .

# SZ-MCT rev.B


SZ-MCT rev.B — .. FLiRS Z-Wave ..

	Li-ion CR123A, 3	
	869	
	100 ( )	
	«»	25
	«»	15
	2 ( 16 )	
	11	
	40	
	IP40	
		109x32x27,5
()	/	56,5x18x15,7
,	80	
	10	
	5	
	-10°C +50°	
+35°	93%	
	+13	

## Вариант крепления 1



## Вариант крепления 2



(l), ( . 1).



рис. 1

1. . . . . 2.




рис. 2

2. ON 1.

1.

2.

3. , .

(1):

1. , (. 3).





рис. 3

2. .

3. .



1 – защитная пластина;  
2 – сервисная кнопка;  
3 – индикатор;  
4 – место для подключения внешнего датчика;  
5 – внутренний магнитный датчик; 6 – переключатель датчиков

(1), .




3–5 , . , 3–5 .

. . . . . 5 15 .


1.  
2. « » « » .  
«» . . . . . 60 () .  
. . . . . « » .  
«». . . . . 10 1, —1. , , .  
2 , «», . . . . . , ( ) ( ). , , . . . , .  
. / . . . . 12 .

: . . . . .


1. « » « » «+» . . . . .



2. — ZWAVE , «».




3. . .




4. 3. . 3 5-10 . 1 .


( ) . , , .



5. DSK (5). DSK- QR- .



6.



1.


, , (, ). , , " " .  
,

1. .
2. .
3. .


1. « » « » . , « » .

The image consists of two side-by-side screenshots from a mobile application. The left screenshot shows the main device settings screen for a device named 'ZWAVE\_ELTEX\_38'. It includes sections for 'Свойства' (Properties) and 'События' (Events), and displays various status details like 'Режим охраны' (Security mode) and 'Заряд батареи' (Battery charge). The right screenshot shows a configuration or edit screen for the same device. It has fields for 'Имя устройства' (Device name) set to 'ZWAVE\_ELTEX\_38' and 'Серийный номер' (Serial number) which is empty. It also features toggle switches for 'Без уведомлений' (No notifications) and 'Игнорировать устройство' (Ignore device), both of which are currently off. A prominent red button at the bottom right with a trash icon and the text 'Удалить устройство' (Delete device) is visible.

2. .



3. 3 . 1-2 . 3 5-10 .



6. 3. 6 5-10. ID ( ) .

