v1.20_MAC Checker

-
-
  -
  - /
  -
-
  - /etc/eltex-ott-mac-checker/application.conf

MAC Checker - , API REST, MAC- SoftWLC.

:

No MAC detected	MAC-	-, , . -.
No init link		- , SoftWLC "ott_default" (.).
No OTT link	OTT	, , OTT ESR OTT .
Default Domain	default	, MAC Checker, .
Region Domain	default	, MAC Checker, .

MAC Checker , (IP-).

8088. MAC-, EMS NBI, JSON- . :

- ,
- *MAC-*,
- ,
- –,
-

IP- EMS 8080.

```
apt-get install eltex-ott-mac-checker
```

/

	service eltex-ott-mac-checker status	Active: active (running) C Active: failed
	service eltex-ott-mac-checker start	Active: active (running)
	service eltex-ott-mac-checker stop	Active: failed
	service eltex-ott-mac-checker restart	Active: active (running)

curl:

```
curl -g http://192.168.42.197:8088/ottChecker/checkMac?mac=a8:f9:4b:22:22:22 --header "Accept: application/json"
```

:

```
{"time":1536304889422,"macAddress":"a8:f9:4b:22:22:22","status":"No MAC detected","information":null,"error":
{"code":null,"description":null}}
```

/etc/eltex-ott-mac-checker/application.conf

/etc/eltex-ott-mac-checker/application.conf

```
service {
    # One of: debug, info, warn, error
    logLevel = info
    gelfHost = "udp:lab3-test.eltex.loc"
    gelfPort = 12201
    gelfLevel = off
}

server {
    #
    requestTimeout = 45

    #
    port = 8088
}

ems {
    #  EMS-
    host = "localhost"

    #     EMS
    port = 8080
}

domain {
    #
    #
    #
    # default = [ "default.root" , "ott.root" ]
    #
    #
    # default = "default.root,ott.root"
    #
    #
    # default = "default.root;ott.root"
    #
    #
    # default = "ott.default"

    default = [ "default.root" , "ott.root" ]
```

- . : debug, info, warn, error

```
logLevel = info
```

- Graylog:

```
    gelfHost = "udp:lab3-test.eltex.loc"
    gelfPort = 12201
    gelfLevel = off
```

- :

```
requestTimeout = 45
```

- , :

```
port = 8088
```

- EMS:

```
    host = "localhost"
    port = 8080
```

- . :

```
default = [ "default.root" , "ott.root" ]
```

/var/log/eltex-ott-mac-checker.