

v1.24_Keepalived

- keepalived
 -
 - keepalived
 - keepalived
 - -
 -
 - replicaSet MongoDB.
 -
 - / keepalived

keepalived

keepalived open source , (high availability) (load-balancing). VRRP, Linux Virtual Server (IPVS). Keepalived Eltex . Keepalived SoftWLC, VRRP.

keepalived

(root):

```
root@master:/# apt update
root@master:/# apt install keepalived
```

Keepalived :

```
root@master:/# systemctl enable keepalived
root@master:/# systemctl start keepalived
```

keepalived

keepalived :

/etc/keepalived/keepalived.conf	
/etc/keepalived/check_ping.sh	EMS
/etc/keepalived/keep_notify.sh	, (MASTER, BACKUP, FAULT)
/etc/keepalived/mongo_switch.js	replicaSet MongoDB , VRRP

/etc/keepalived/keepalived.conf

```
! Configuration File for keepalived

global_defs {
    script_user root
    enable_script_security
}

vrrp_script check_network {
    script "/etc/keepalived/check_ping.sh"
    interval 5
    weight 50
    fall 3
    rise 3
    init_fail
    user root
}

vrrp_instance VI_SWLC {
    state BACKUP
    interface <interface>
    virtual_router_id 1
    track_script {
        check_network
    }
    track_interface {
        <interface> weight 50
    }
    priority 150
    advert_int 1
    nopreempt
        # Uncomment and comment "nopreempt" if preemption needed
        #preempt_delay 180
    authentication {
        auth_type PASS
        auth_pass eltex
    }
    virtual_ipaddress {
        <virtual_ip> dev eth0 label <interface>:1
    }
}

notify_master "/etc/keepalived/keep_notify.sh master"
notify_backup "/etc/keepalived/keep_notify.sh backup"
notify_fault "/etc/keepalived/keep_notify.sh fault"

unicast_peer {
    <ip_server1>
}
}
```

- <interface> - ;
- <virtual_ip> - ip- ();
- <ip_server1> - ip- ;

/etc/keepalived/check_ping.sh

```
#!/bin/bash

# host to ping
# there - default gw
HOST=<default_gw_ip>
# -q quiet
# -c nb of pings to perform
ping -q -c5 $HOST > /dev/null

# $? var keeping result of execution
# previous command
if [ $? -eq 0 ]
then
    echo `date +"%T %F"` "OK gw reachable"
    EXIT_CODE=0
else
    echo `date +"%T %F"` "ERROR gw unreacheble!"
    EXIT_CODE=1
fi

exit $EXIT_CODE
```

<default_gw_ip> - .

. , , SoftWLC .

keep_notify.sh

/etc/keepalived/keep_notify.sh

```
#!/bin/bash

MYSQL_USER=<mysql_user>
MYSQL_PASSWORD=<mysql_password>

mongo_set_role() {
    local role="$1"
    if [[ "$(which mongo)" ]]; then
        mongo --quiet --eval "var role=\"$role\"" admin /etc/keepalived/mongo_switch.js
        # Uncomment if using mongodb auth
        #mongo -u<username> -p<password> --quiet --eval "var role=\"$role\"" admin /etc/keepalived/mongo_switch.js
    fi
}

if ! lockfile-create --use-pid -r 5 /tmp/keep.mode.lock; then
    echo "Unable to lock"
    echo "Unable to lock" > /tmp/keep.mode.lock.fail
    exit 0
fi

case "$1" in
    master)
        # ems_reload_all
        echo "MASTER" > /tmp/keep.mode

        mongo_set_role master
        service eltex-ems restart
        service tomcat7 restart
        service eltex-ngw restart

        # MySQL      - ,
        #     heartbeat
        mysql -u$MYSQL_USER -p$MYSQL_PASSWORD -e "stop slave"
        mysql -u$MYSQL_USER -p$MYSQL_PASSWORD -e "start slave"
        ;;
    backup)
        echo "BACKUP" > /tmp/keep.mode
        mongo_set_role slave
        service mongodb restart
        service eltex-ems stop
        service tomcat7 stop
        service eltex-ngw stop
        mysql -u$MYSQL_USER -p$MYSQL_PASSWORD -e "stop slave"
        mysql -u$MYSQL_USER -p$MYSQL_PASSWORD -e "start slave"
        ;;
    fault)
        echo "FAULT" > /tmp/keep.mode
        mongo_set_role slave
        service mongodb restart
        ;;
    *)
        echo "Usage: $0 {master|backup|fault}"
        exit 1
esac

lockfile-remove /tmp/keep.mode.lock;

exit 0
```

<mysql_user> <mysql_password> - MySQL.

replicaSet MongoDB.

```
/etc/keepalived/mongo_switch.js
```

```
//  
var role;  
  
if (role != 'master' && role != 'slave') {  
    throw "Role must be either master or slave";  
}  
  
var thisIsMaster = (role == 'master');  
var status = rs.isMaster();  
var thisHost = status.me;  
  
print("Primary: " + status.ismaster + "; applying configuration . . .");  
var cfg = rs.conf();  
for (var i = 0; i < cfg.members.length; i++) {  
    var member = cfg.members[i];  
    var self = (member.host == thisHost);  
    if (self ^ thisIsMaster) {  
        // slave  
        member.priority = 1;  
        member.votes = 0;  
  
        print(member.host + ": secondary");  
    } else {  
        // master  
        member.priority = 2;  
        member.votes = 1;  
  
        print(member.host + ": primary");  
    }  
}  
  
var result = rs.reconfig(cfg, { force: !status.ismaster });  
if (result.ok == 1) {  
    print("Reconfiguration done");  
} else {  
    print(result);  
}
```

```
keepalived /var/log/syslog. , keepalived , -. rsyslog:
```

```
nano -w /etc/rsyslog.d/10-keepalived.conf  
if $programname contains 'Keepalived' then /var/log/keepalived.log  
if $programname contains 'Keepalived' then ~
```

```
rsyslog :
```

```
root@swlc01-server:/# service rsyslog restart
```

```
keepalived - /var/log/keepalived.log /var/log/syslog.
```

```
/ keepalived
```

```
:
```

```
service keepalived start
```

```
:
```

```
keepalived start/running, process 2471
```

:

```
root@master:/# service keepalived stop
```

:

```
keepalived stop/waiting
```

```
root@master:/# service keepalived status
```

:

```
keepalived start/running, process 2809
```