


# .pcap

## WEB -

WEB "Maintenance" "Packet Capture" .



:

1. (RemotePacketCapture), Wireshark
2. ( ) .

## 1 -

, .

Remote Packet Capture , (2002 ) *Start Remote Capture* .

**Remote Packet Capture ...**  
Remote Capture Port  (Range:1025-65530, Default: 2002)  
  
Click "Update" to save the new settings.

( ) , , Wireshark 1.12.

Wireshark Capture Interfaces "Options". "Manage Interfaces" "Remote Interfaces".

"Add" IP : 2002.

.

## 2 -

- , .

:

- 4 3600
- 

, .

**Packet File Capture ...**  
Capture Interface   
Capture Duration  Seconds (range 10 to 3600)  
Max Capture File Size  KB (range 64 to 4096)  
  
Click "Update" to save the new settings.

MAC ( Radio ):

### Packet Capture Configuration ...

	Enabled	Disabled
Capture Beacons	<input checked="" type="radio"/>	<input type="radio"/>
Promiscuous Capture	<input type="radio"/>	<input checked="" type="radio"/>
Client Filter Enable	<input checked="" type="checkbox"/>	
Client Filter MAC Address	<input type="text" value="d0:17:c2:0d:c6:ee"/> <div>WLAN client MAC address filtering applies only to radio interfaces.</div>	

Click "Update" to save the new settings.

Update

, , *Update* *Start File Capture.*  
*Stop* PacketCaptureStatus.  
 , TFTP HTTP . *Use TFTP to download the capture file* *Download.*

### Packet Capture File Download ...

☐ Use TFTP to download the capture file

File download using HTTP(S) may be done by clicking the Download button.  
To use TFTP download, check the box that indicates TFTP download.

TFTP Server Filename

Server IP

Download

## CLI

```

:
• , ;
• ( 64 4096KB);
• ( 10 1);
• , ( , mac );

, , :

set packet-capture file-capture-interface wlan0,

wlan0- (eth0 - GE, radio 1 - 1, wlan1 - 0 2, wlan0vap1 - 1 1);

:

set packet-capture file-capture-max-size 4096

:

set packet-capture file-capture-duration 3600

:

set packet-capture wireless-client-filter-mode up
set packet-capture wireless-client-filter-mac 50:F5:20:44:2B:A1

:

set packet-capture start-file-capture up

:

set packet-capture stop-capture up

```

