

/cluster/storage/<STORAGE>/ss/profile

- [copy](#)
- [copy-to-domain](#)
- [declare](#)
- [info](#)
- [remove](#)
- [ss-add](#)
- [ss-change](#)
- [ss-remove](#)



<DOMAIN> - .

/cluster/storage/<STORAGE>/ss/profile.
[/domain/<DOMAIN>/ss/profile](#) .

copy

:

cluster/storage/<CLUSTER>/ss/profile/copy

:

copy <DOMAIN> <SrcProfileName> <DstProfileName>

:

<DOMAIN> - (), ;
<SrcProfileName> - ;
<DstProfileName> - .

:

```
admin@[dsl@ecss1]:/$ cluster/storage/dsl/ss/profile/copy new_profile first_profile
System supplementary service's profile new_profile successfully copied to first_profile.
[exec at: 14.02.2019 15:24:03, exec time: 97ms, nodes: dsl@ecss1]
```

copy-to-domain

;

:

cluster/storage/<CLUSTER>/ss/profile/copy-to-domain

:

copy-to-domain <SystemProfileName> <Domain> [<DomainProfileName>]

:

<SystemProfileName> - ;
<DOMAIN> - (), ;

<DomainProfileName> - ;

:

"first_profile" front.office first_front:

```
admin@[dsl@ecss1]:/$ cluster/storage/dsl/ss/profile/copy-to-domain first_profile front.office first_front
System's profile first_profile successfully copied to domain front.office with name first_front.

[exec at: 14.02.2019 15:57:04, exec time: 83ms, nodes: dsl@ecss1]
```

declare

```
.
:

cluster/storage/<CLUSTER>/ss/profile/declare

:

declare <DOMAIN> <NAME> [<DESCRIPTION>]

:

<DOMAIN> - (), ;
<ProfileName> - ;
<DESCRIPTION> - , .

:

"new_profile":
```

```
admin@[mycelium1@ecss1]:/$ cluster/storage/dsl/ss/profile/declare new_profile
System supplementary service's profile new_profile successfully declared.

[exec at: 13.02.2019 16:25:04, exec time: 159ms, nodes: dsl@ecss2]
```

info

```
:

  • Domain - , ;
  • Supplementary service - ;
  • Enable - , ;
  • Disable - , .

:

cluster/storage/<CLUSTER>/ss/profile/info

:

info [<DOMAIN> [<ProfileName>] ]

:

<DOMAIN> - (), ;
<ProfileName> - , . , .

:

pk.domain.
```

```
admin@[dsl@ecss1]:/$ cluster/storage/dsl/ss/profile/info
```

Profile Name	Supplementary Service*	E	A	Activation
Arguments				
first_profile	alarm	*		
	speed_dial	*		
	rfc	*	*	
new_profile	alarm	*		
	speed_dial	*		
	rfc	*	*	

E - enabled supplementary service in domain's profile;

A - activate supplementary service in domain's profile;

* - supplementary services' to add to domain's access-list.

[exec at: 14.02.2019 16:18:49, exec time: 108ms, nodes: dsl@ecss1]

remove

```
.  
:  
/cluster/storage/<CLUSTER>/ss/profile/remove
```

```
:  
remove <DOMAIN> <NAME>
```

```
:  
<DOMAIN> - (), ;  
<ProfileName> - ;  
:
```

```
admin@[dsl@ecss1]:/$ cluster/storage/dsl/ss/profile/remove first_profile  
System supplementary service's profile first_profile successfully removed.
```

[exec at: 14.02.2019 16:22:11, exec time: 98ms, nodes: dsl@ecss1]

ss-add

```
.  
:  
cluster/storage/<CLUSTER>/ss/profile/ss-add
```

```
:  
ss-add <DOMAIN> <NAME> <SS> [--activate <ARGS>]
```

```
:
```

```

<DOMAIN> - (), ;
<ProfileName> - ;
<SSName> - , 1, cluster/storage/<STORAGE>/ss/.
<Enable> - ;
--<Activate> [<ActivationArgs>] - ;
<ActivationArgs> - --activate, <KEY> = <VALUE>, <KEY> - , <VALUE> - .

```

```
:
```

```
"new_profile" "zone_page" :
```

```

admin@[dsl@ecss1]:/$ cluster/storage/dsl/ss/profile/ss-add new_profile zone_page true false
System supplementary service zone_page successfully added to new_profile profile.

```

```
[exec at: 14.02.2019 16:27:05, exec time: 79ms, nodes: dsl@ecss1]
```

ss-change

```
.
```

```
:
```

```
ss-change <DOMAIN> <NAME> <SS> [<ARGS>]
```

```
:
```

```

<DOMAIN> - (), ;
<ProfileName> - ;
<SSName> - , 1, cluster/storage/<STORAGE>/ss/.

```

```

<Action> [[<ActivationArgs>] - ;
<ARGS> - --activate, <KEY> = <VALUE>, <KEY> - , <VALUE> - .

```

```
:
```

```
"new_profile" "speed_dial" :
```

```

admin@[dsl@ecss1]:/$ cluster/storage/dsl/ss/profile/ss-change new_profile speed_dial disable
System supplementary service speed_dial successfully changed from new_profile profile.

```

```
[exec at: 14.02.2019 16:40:28, exec time: 92ms, nodes: dsl@ecss1]
```

ss-remove

```
.
```

```
:
```

```
cluster/storage/<CLUSTER>/ss/profile/ss-remove
```

```
:
```

```
ss-remove <DOMAIN> <NAME> <SS>
```

```
:
```

```

<DOMAIN> - (), ;
<ProfileName> - ;
<SSName> - , 1, cluster/storage/<STORAGE>/ss/.

```

```
:
```

```
"new_profile" alarm:
```

```
admin@[mycelium1@ecss1]:/$ cluster/storage/dsl/ss/profile/ss-remove new_profile alarm
System supplementary service "new_profile" successfully removed from alarm profile.
```

```
[exec at: 18.02.2019 11:42:00, exec time: 118ms, nodes: dsl@ecss1
```