

/domain/properties

- [clean](#)
- [info](#)
- [set](#)

domain/properties/
[/domain/<DOMAIN>/properties](#)

1

1 -

abonent_control_out	true	, : - enable - ; - disable - .
alternate_route_acp_causes	routeFailure1,routeFailure2,routeSelectFailure, noCircuitAvailable, noRequestedCircuitAvailable, terminationDenied, notReachable	ACP .
alternate_route_isup_causes	-	ISUP .
alternate_route_sip_causes	-	SIP .
call_record_server_peer	system (http://system.restfs.ecss:9990)	URL
default_call_policy	allow	(allow) (deny)
fax_server_peer	system (http://system.restfs.ecss:9990)	URL
public_names	-	URI,
redirecting_number_mode	modified_b	B : - origin_b - B ; - modified_b - B .
replica_type	none	master/backup
site	ecss10	
sounds_server_peer	system (http://system.restfs.ecss:9990)	URL
ss_codes_report_template	default	
tc_display_name	"Teleconference"	Teleconference
trunk_control_in	true	(true)/ (false)
trunk_control_out	true	(true)/ (false)
vats_type	private	ECSS-10. : private, local, international, transit, transit_offroad.
voicemail_server_peer	system (http://system.restfs.ecss:9990)	URL

clean

/ . 1.

:

domain/properties/clean
 domain/<DOMAIN>/properties/clean

:

- :
clean [<DOMAIN> [<FIELD>]]
- :
clean [<FIELD>]

:

<DOMAIN> - , . . "*" ;
 <FIELD> - , . . , .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/properties/clean site
Property site values successfully restored
```

info

.

:

domain/properties/info
 domain/<DOMAIN>/properties/info

:

- :
info [<DOMAIN> [<FIELD>]]
- :
info [<FIELD>]

:

<DOMAIN> - , . . "*" ;
 <FIELD> - , . . , . 1.

:

```
admin@mycelium1@ecss1#ECSS-T 000009]:/$ domain/properties/info biysk.local
```

Property	Domain	Value
abonent_control_out	biysk.local	true
alternate_route_acp_causes	biysk.local	routeFailure1 routeFailure2 routeSelectFailure noCircuitAvailable terminationDenied notReachable
alternate_route_isup_causes	biysk.local	
alternate_route_sip_causes	biysk.local	
basic_transfer_unattended_mode	biysk.local	legacy
call_record_server_peer	biysk.local	system (http://system.restfs.ecss:9990)
connected_number_mode	biysk.local	origin_b
default_call_policy	biysk.local	allow
fax_server_peer	biysk.local	system (http://system.restfs.ecss:9990)
public_names	biysk.local	
redirecting_number_mode	biysk.local	modified_b
replica_type	biysk.local	none
site	biysk.local	ecss10
sounds_server_peer	biysk.local	system (http://system.restfs.ecss:9990)
speech_recognition_server_peer	biysk.local	system (http://system.restfs.ecss:9990)
ss_codes_report_template	biysk.local	default
tc_display_name	biysk.local	Teleconference
tc_notification_ban_timeout	biysk.local	1000
teleconference_notification_ban_timeout	biysk.local	1000
trunk_control_in	biysk.local	true
trunk_control_out	biysk.local	true
vats_type	biysk.local	private
voicemail_server_peer	biysk.local	system (http://system.restfs.ecss:9990)

```
[exec at: 31.07.2019 07:49:58, exec time: 18ms, nodes: mdl@ecss1]
```

```
admin@mycelium1@ecss1]:/$ domain/biysk.local/properties/info call_forwarding_isup_causes
```

Property	Domain	Value
call_forwarding_isup_causes	biysk.local	21 (call rejected) 25 (exchange routing error)

```
[exec at: 31.07.2019 07:56:52, exec time: 10ms, nodes: dsl@ecss1]
```

set

```
domain/properties/set  
domain/<DOMAIN>/properties/set
```

- :
set <DOMAIN> <FIELD> <VALUE>
- :
set <FIELD> <VALUE>

```
<DOMAIN> - , . "*" ;  
<FIELD> - , . 1;  
<VALUE> - , 1.
```

:

```
admin@[mycelium1@ecssl]:/$ domain/biysk.local/properties/set tc_display_name Conf
Property "tc_display_name" successfully changed from:
Teleconference
  to
Conf.
```

```
admin@[mycelium1@ecssl]:/$ domain/biysk.local/properties/set call_record_server_peer record_fs
Property "call_record_server_peer" successfully changed from:
system (http://system.restfs.ecss:9990)
  to
record_fs (http://records.restfs.ecss:9990).
```