

/domain/<DOMAIN>/adaptation

- delete
- export
- import
- list
- show
- trace

- /

/cluster/storage/<CLUSTER>/adaptation/
domain/<DOMAIN>/adaptation/

: /var/lib/ecss/adaptation/ctx/src/<DOMAIN>/.



<DOMAIN> - .
<STORAGE> - storage.

delete

:

domain/<DOMAIN>/adaptation/delete

:

delete <Context>

:

<Context> - .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/adaptation/delete mod2_adp  
Adaptation was deleted
```

export

:

domain/<DOMAIN>/adaptation/export

:

- :
export <Node> <Domain> <Context>
- :
export <Node> <Context>

:


<Node> - ;
<Domain> - ;
<Context> - .

:

```
admin@[mycelium1@ecss1]:/$ cluster/storage/dsl/adaptation/export ecss1 biysk.local adp_sorm
Context adp_sorm has been exported
```

import

```
. .
:
domain/<DOMAIN>/adaptation/import
:
import <Host> <File>
:
<Host> - , ;
<File> - , ;
```



```
admin@[mycelium1@ecss1]:/$ cluster/storage/dsl/adaptation/import ecss1 biysk.local adp_1.xml
importing file adp_1.xml...
generated 3 rules
1 context has been successfully imported
```

list

```
. .
:
domain/<DOMAIN>/adaptation/list
:
• :
  list [<Domain>]
• :
  list
:
<Domain> - .
:
```

```
admin@[mycelium1@ecss1]:/$ cluster/storage/dsl/adaptation/list
Adaptations:

biysk.local/adp_sorm
biysk.local/default_adaptation
biysk.local/mod2_adp
test/default_adaptation
-----
Total: 4
```

show

:
domain/<DOMAIN>/adaptation/show

:
show <ContextName>

:
<ContextName> - .

```
admin@[myceliuml@ecssl]:/$ cluster/storage/dsl/adaptation/show biysk.local modl_adp
Context was imported at 22.07.2018 10:20:36

<?xml version="1.0" encoding="UTF-8"?>
  <adaptation xmlns:xs="http://www.w3.org/2001/XMLSchema-instance" xmlns:noNamespaceSchemaLocation="
ecss_modifiers.xsd" name="modl_adp">
    <rule name="local_calls">
      <conditions>
        <cdpn digits="240464"/>
        <rgn digits="3854240465"/>
        <ocdpn digits="%"/>
        <time value="09:00 - 18:00"/>
        <date value="01.01.2018 - 30.12.2018"/>
        <weekday value="1,2,3,4,5"/>
      </conditions>
      <actions>
        <cdpn digits="240466"/>
        <rgn digits="3854240466"/>
        <ocdpn digits="240475"/>
        <cn digits="419145"/>
      </actions>
      <result>
        <finish/>
      </result>
    </rule>
    <rule name="other_calls">
      <conditions/>
      <actions/>
      <result>
        <finish/>
      </result>
    </rule>
  </adaptation>
```

trace

, .
:
domain/<DOMAIN>/adaptation/trace

:
:
trace [<Key1> = <Value1>[, ... [, <KeyN> = <ValueN>]]]

:

```
type - sorm | tts - , ;
tag - tag ();
cgpn - Calling party number ();
cdpn - Called party number, cdpn.digits ();
rgn - Redirecting number ();
rnn - Redirection number ();
ocdpn - Original called party number ();
cn - ConnectedNumber ();
context - ,()(: /);
date - (D.M.Y or Y/M/D),()(:);
time - (H:M),()(:).
```

:

```
admin@[mycelium1@ecss1]:/$ cluster/storage/dsl/adaptation/trace biysk.local cgpn.digits=240465 cdpn.
digits=240101 time=13:30 type=sorm
Traceroute to 240101 from 240465 (sorm adaptation) at 22.07.2018 13:30:00
Default context is adp_sorm
adp_sorm / default
A: "240465"(displayName=undefined, ni=private, nai=unknown, inc=false, npi=isdntelephony,
apri=presentationAllowed, screening=networkProvided, category=ordinarySubscriber(10), caller_id=undefined)
B: "240101"(displayName=undefined, ni=undefined, nai=undefined, inc=false, inni=undefined, npi=undefined,
category=undefined)
  applying rule: for_sorm
-----

Adaptation result: finish
A: "240465"(displayName=undefined, ni=private, nai=unknown, inc=false, npi=isdntelephony,
apri=presentationAllowed, screening=networkProvided, category=ordinarySubscriber(10), caller_id=undefined)
B: "240101"(displayName=undefined, ni=undefined, nai=undefined, inc=false, inni=undefined, npi=undefined,
category=undefined)
```