

# /domain/<DOMAIN>/cfc

CFC (Call Forwarding by Cause).  
CFC - . CFC (ISUP ACP cause) , .

/cluster/core/<CORE>/cfc/.  
domain/<DOMAIN>/cfc/

<CORE> - CORE;  
<DOMAIN> - .

## clean

"ause" CFC:

apty_abandon	
apty_disc	
authorisation_failure	system://sounds/ai_wrong_number.wav
bpty_busy_ndub	
bpty_busy_udub	
bpty_disc	
bpty_no_answer	system://sounds/ai_no_answer.wav
called_party_rejected	
collect_information_failure	system://sounds/ai_wrong_number.wav
conversation_timeout	
destination_out_of_order	system://sounds/ai_error.wav
do_not_disturb	
enable	true
external_acp_causes	
external_isup_causes	1 -> system://sounds/ai_number_absent.wav 2 -> system://sounds/ai_wrong_number.wav 3 -> system://sounds/ai_wrong_number.wav 18 -> system://sounds/ai_no_answer.wav 19 -> system://sounds/ai_no_answer.wav 20 -> system://sounds/ai_notconnected.wav 21 -> system://sounds/ai_notaccess.wav 22 -> system://sounds/ai_number_not_ready.wav 27 -> system://sounds/ai_out_of_order.wav 28 -> system://sounds/ai_invalidnumber.wav 34 -> system://sounds/ai_overload.wav 38 -> system://sounds/ai_error.wav 41 -> system://sounds/ai_error.wav 42 -> system://sounds/ai_system_problem.wav 102 -> system://sounds/ai_timeout.wav
foreground	false
invalid_collected_information	system://sounds/ai_wrong_number.wav
invalid_number	system://sounds/ai_invalidnumber.wav
no_circuit_available	system://sounds/ai_badroute.wav
normal	
not_reachable	system://sounds/ai_not_reachable.wav
number_incomplete	system://sounds/ai_invalidnumber.wav

o_no_answer	system://sounds/ai_no_answer.wav
origination_denied	system://sounds/ai_notaccess.wav
route_failure1	
route_failure2	
route_select_failure	system://sounds/ai_out_of_order.wav
ss7_failure	system://sounds/ai_system_problem.wav
system_failure	system://sounds/ai_system_problem.wav
t_exception	system://sounds/ai_system_problem.wav
termination_denied	system://sounds/ai_tempdenied.wav
unassigned_number	system://sounds/ai_notconnected.wav

( ause) 5 ECSS-10, . . .

:

/domain/<DOMAIN>/cfc/clean

:

- : clean [<DOMAIN> [<FIELD>]]
- : clean [<FIELD>]

:

<FIELD> - (cause). , "ause".

:

```
admin@[core1@ecss1]:/$ domain/d.local/cfc/clean
[clean] You are going to clean all customized properties in the domain "d.local".
Are you sure?: yes/no ?> y
```

## info

"ause" CFC.

:

/domain/<DOMAIN>/cfc/info

:

info [<FIELD>]

:

<Field> - , : apty\_abandon; apty\_disc; authorisation\_failure; bpty\_busy\_ndub; bpty\_busy\_udub; bpty\_disc; bpty\_no\_answer; called\_party\_rejected; collect\_information\_failure; conversation\_timeout; destination\_out\_of\_order; do\_not\_disturb; enable; external\_acp\_causes; external\_isup\_causes; foreground; invalid\_collected\_information; invalid\_number; no\_circuit\_available; normal; not\_reachable; number\_incomplete; o\_no\_answer; origination\_denied; route\_failure1; route\_failure2; route\_select\_failure; ss7\_failure; system\_failure; t\_exception; termination\_denied; unassigned\_number.

:

```
admin@[core1@ecss1]:$ cluster/core/core1/cfc/info
```

Property	Domain	Value
apty_abandon		
apty_disc		
authorisation_failure	system://sounds/ai_wrong_number.wav	
bpty_busy_ndub		
bpty_busy_udub		
bpty_disc		
bpty_no_answer	system://sounds/ai_no_answer.wav	
called_party_rejected		
collect_information_failure	system://sounds/ai_wrong_number.wav	
conversation_timeout		
destination_out_of_order	system://sounds/ai_error.wav	
do_not_disturb		
enable	true	
external_acp_causes		
external_isup_causes	1 -> system://sounds/ai_number_absent.wav 2 -> system://sounds/ai_wrong_number.wav 3 -> system://sounds/ai_wrong_number.wav 18 -> system://sounds/ai_no_answer.wav 19 -> system://sounds/ai_no_answer.wav 20 -> system://sounds/ai_notconnected.wav 21 -> system://sounds/ai_notaccess.wav 22 -> system://sounds/ai_number_not_ready.wav 27 -> system://sounds/ai_out_of_order.wav 28 -> system://sounds/ai_invalidnumber.wav 34 -> system://sounds/ai_overload.wav 38 -> system://sounds/ai_error.wav 41 -> system://sounds/ai_error.wav 42 -> system://sounds/ai_system_problem.wav 102 -> system://sounds/ai_timeout.wav	
foreground	false	
invalid_collected_information	system://sounds/ai_wrong_number.wav	
invalid_number	system://sounds/ai_invalidnumber.wav	
no_circuit_available	system://sounds/ai_badroute.wav	
normal		
not_reachable	system://sounds/ai_not_reachable.wav	
number_incomplete	system://sounds/ai_invalidnumber.wav	
o_no_answer	system://sounds/ai_no_answer.wav	
origination_denied	system://sounds/ai_notaccess.wav	
route_failure1		
route_failure2		
route_select_failure	system://sounds/ai_out_of_order.wav	
ss7_failure	system://sounds/ai_system_problem.wav	
system_failure	system://sounds/ai_system_problem.wav	
t_exception	system://sounds/ai_system_problem.wav	
termination_denied	system://sounds/ai_tempdenied.wav	
unassigned_number	system://sounds/ai_notconnected.wav	

```
[exec at: 26.04.2017 07:29:50, exec time: 12ms, nodes: core1@ecss1]
```

## set

```
:
```

/domain/<DOMAIN>/cfc/set

```
:
• :
  set <DOMAIN> <FIELD> <VALUE>
```

- : set <FIELD> <VALUE>

:  
<FIELD> - , . 5 ECSS-10, . .  
<VALUE> -

:

- disable - ;
- system <FILE> - <FILE>;
- tone tone <FREQUENCY1> <FREQUENCY2> <TONE\_ON> <TONE\_OFF> <DURATION>;  
<FREQUENCY> - () . , 0;  
<TONE\_ON> - (ms);  
<TONE\_OFF> - ( ) (ms);  
<DURATION> - (duration = -1 - ).

: 1. enable - CFC-

- :  
• true - CFC-;  
• false - CFC-.

2. external\_acp\_causes external\_isup\_causes - ACP ISUP Cause

- :  
• add <ACP Cause> <> disable | system | tone - ACP Cause;  
• remove <ACP Cause> - <ACP Cause>.

3. foreground -

- :  
• true - ;  
• false - .



[] "call".

:  
% apty\_abandon:  
admin@[core1@ecss1]:/\$ domain/testdomain/cfc/set apty\_abandon system sounds/ai\_busy.wav  
% ISUP Cause:  
admin@[core1@ecss1]:/\$ domain/testdomain/cfc/set external\_isup\_causes add 16 tone 200 400 2 2 -1  
% ISUP Cause:  
admin@[core1@ecss1]:/\$ domain/testdomain/cfc/set external\_isup\_causes remove 16

, Access-Reject Reply-Message, :

- ecss-routing-cause-isup=<INT>
- ecss-routing-cause-acp=<String>

:  
freeradius/etc/freeradius/users):

```
1010 Auth-Type := Reject
    Reply-Message = "ecss-routing-cause-acp=systemFailure"

1111 Auth-Type := Reject
    Reply-Message = "ecss-routing-cause-isup=30"
```

acp\_cause:

```
domain/test.ats/cfc/set system_failure system sounds/ai_notaccess.wav
```

isup\_cause:

```
domain/d.local/cfc/set external_isup_causes add 30 system sounds/nopay_reject.wav
```