/domain/<DOMAIN>/cn

- clean
- info
- set

, CN, 1 .
/domain/<DOMAIN>/cn/ .

<DOMAIN> - .

1. CN

email_from_name	ECSS-NO-REPLY	"" e-mail
email_release_template	%DISPLAYNAME% (%CALLERID% - call back %LINK_CALL_TO%=%CALLERID%) called you (% CALLED%) at %TIME% %DATE%	, email, .
email_subject_format	%DISPLAYNAME% (%CALLERID%) called you (%CALLED%) at %TIME% %DATE%	e-mail
incoming_call	false	, , .
jabber_incoming_plain_t emplate	%DISPLAYNAME% (%CALLERID% - call back %LINK_CALL_TO%=%CALLERID%) calling you (% CALLED%) at %TIME% %DATE%	jabber html.
jabber_incoming_templa te	%DISPLAYNAME% (%CALLERID%) calling you (% CALLED%) at %TIME% %DATE%	jabber .
jabber_release_plain_te mplate	%DISPLAYNAME% (%CALLERID% - call back %LINK_CALL_TO%=%CALLERID%) called you (% CALLED%) at %TIME% %DATE%	jabber html.
jabber_release_template	DISPLAYNAME% (%CALLERID%) called you (% CALLED%) at %TIME% %DATE%	jabber .
release_call	true	, , .

email jabber , :

%CALLING% - ,

%CALLED% - ,

%TIME% - ,

%DATE% - ,

%CAUSE% - ,

%DURATION% - ,

%DISPLAYNAME% - display name ,

%CALLERID% - Caller Id ,

%LINK_CALL_TO% - . http://subscriberportal.ecss:81/make_call?number=

URL :

```
/domain/<DOMAIN>/subscriber-portal/properties/set web_sp_server
```

clean

CN.

:

/domain/<DOMAIN>/cn/clean

:

clean [<FIELD>] [--force]

:

<DOMAIN> - ;
<FIELD> - CN, . , ;

--force - .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/cn/clean incoming_call
Property incoming_call values successfully restored

[exec at: 28.02.2019 10:16:12, exec time: 233ms, nodes: core1@ecss2]
```

info

CN.

:

/domain/<DOMAIN>/cn/info

:

info [<FIELD>]]

:

<DOMAIN> - ;
<FIELD> - , , .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/cn/info

           Property             Domain
Value

email_from_name               biysk.localECSS-NO-
REPLY
email_release_template        biysk.local%DISPLAYNAME% (%CALLERID% - call back %LINK_CALL_TO%=%CALLERID% )
called you (%C
                                        ALLED%) at %TIME% %
DATE%
email_subject_format          biysk.local%DISPLAYNAME% (%CALLERID%) called you (%CALLED%) at %TIME% %
DATE%
incoming_call                 biysk.
localtrue
jabber_incoming_plain_templatebiysk.local%DISPLAYNAME% (%CALLERID% - call back %LINK_CALL_TO%=%CALLERID% )
calling you (%
                                        CALLED%) at %TIME% %
DATE%
jabber_incoming_template      biysk.local%DISPLAYNAME% (<a href='%LINK_CALL_TO%=%CALLERID%'>%CALLERID%</a>)
calling you (
                                        %CALLED%) at %TIME% %
DATE%
jabber_release_plain_template biysk.local%DISPLAYNAME% (%CALLERID% - call back %LINK_CALL_TO%=%CALLERID% )
called you (%C
                                        ALLED%) at %TIME% %
DATE%
jabber_release_template       biysk.local%DISPLAYNAME% (<a href='%LINK_CALL_TO%=%CALLERID%'>%CALLERID%</a>)
called you (%
                                        CALLED%) at %TIME% %
DATE%
release_call                  biysk.
localtrue


[exec at: 28.02.2019 10:15:33, exec time: 67ms, nodes: core1@ecss1]
```

set

CN.

:

/domain/<DOMAIN>/cn/set

:

set <FIELD> <VALUE>

:

<DOMAIN> - ;
<FIELD> - , , 1;
<VALUE> - .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/cn/set incoming_call true
Property "incoming_call" successfully changed from:
false
   to
true.

[exec at: 28.02.2019 10:14:50, exec time: 241ms, nodes: core1@ecss1]
```