

# /domain/<DOMAIN>/distinctive-ring

ring .

- ring/clean
- ring/info
- ring/set
- type/clean
- type/info
- type/set

**distinctive-ring/ring/ -**  
**distinctive-ring/type/ -**

, Distinctive Ring 3 : BasicCall; InterCityCall; VipCall.

- **InterCityCall** - ;
- **VipCall** - VipCall;
- **BasicCall** - .

16- ( ).

16 .

:



domain/<DOMAIN>/distinctive-ring/  
<DOMAIN> - .

## ring/clean

ring .

:

domain/<DOMAIN\_NAME>/distinctive-ring/ring/clean

:

clean [<Field>]

:

<Field> - ( ring01 ring16).

:

```
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/ring/clean ring10
Property ring10 values successfully restored
```

## ring/info

:

domain/<DOMAIN\_NAME>/distinctive-ring/ring/info

:

info [<Field>]

:

<Field> - ( ring01 ring16).

:

```
admin@[mycelium1@ivan]:/$ domain/ivan.local/distinctive-ring/ring/info

Property   Domain          Value
ring01     ivan.localip/system/ring/ring7.wav
ring02     ivan.local
ring03     ivan.local
ring04     ivan.local
ring05     ivan.local
ring06     ivan.local
ring07     ivan.local
ring08     ivan.local
ring09     ivan.local
ring10     ivan.localdefault/same/path.wav
ring11     ivan.localdefault/asd/dsa
ring12     ivan.localip/system/ring/ustrica.wav
ring13     ivan.local
ring14     ivan.localip/system/ring/testAgain2.wav
ring15     ivan.localip/system/ring/testAgain.wav
ring16     ivan.localip/system/ring/ring6.wav
```

## ring/set

```
ring . .
:
domain/<DOMAIN_NAME>/distinctive-ring/ring/set
:
set <Field> <Value>
:
<Field> - ( ring01 ring16);
<Value> - .
:
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/ring/set ring10 domain ring.wav
Property "ring10" successfully changed from:
        to
domain/test.domain/ring.wav.
```

```
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/ring/set ring10 system ring/ring.wav
Property "ring10" successfully changed from:
domain/test.domain/ring.wav
        to
system/ring/ring.wav.
```

## type/clean

```
c .
16- . :
    • InterCityCall - ring02
    • VipCall - ring03
    • BasicCall - ring01
:
domain/<DOMAIN_NAME>/distinctive-ring/type/clean
```

```
:  
clean [<Field>]  
:  
<Field> -  (basiccall / vipcall / intercitycall),
```

```
    basiccall - ;  
    vipcall - *99#( Vipcall);  
    intercitycall - "".
```

```
:  
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/type/clean  
[clean] You are going to clean all customized properties in the domain "test.domain".  
Are you sure?: yes/no ?> yes  
Properties values successfully restored
```

```
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/type/clean basiccall  
Property basiccall values successfully restored
```

## type/info

```
:  
domain/<DOMAIN_NAME>/distinctive-ring/type/info  
:  
info [<Field>]  
:  
<Field> -  (basiccall / vipcall / intercitycall),
```

```
    basiccall - ;  
    vipcall - *99#( Vipcall);  
    intercitycall - "".
```

```
:  
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/type/info basiccall  
Property   Domain   Value  
basiccalltest.domainring10
```

```
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/type/info  
Property      Domain   Value  
basiccall      test.domainring10  
intercitycalltest.domainring02  
vipcall        test.domainring03
```

## type/set

```
:
```

```
domain/<DOMAIN_NAME>/distinctive-ring/type/set
```

```
:
```

```
set <Field> <Value>
```

```
:
```

```
<Field> - (basiccall / vipcall / intercitycall),
```

```
basiccall - ;  
vipcall - *99#( Vipcall);  
intercitycall - "".
```

```
:
```

```
admin@[mycelium1@ecss1]:/$ domain/test.domain/distinctive-ring/type/set basiccall ring10  
Property "basiccall" successfully changed from:  
ring01  
    to  
ring10.
```