

/domain/<DOMAIN>/lists

(blf/presence).

- - declare
 - info
 - list
 - remove
 - set
 - name-set
 - number-add
 - number-remove
- (BLF Presence)
 - number-delete-property
 - numbers-set-property
 - BLF-

declare

.
:
domain/<DOMAIN>/lists/declare
:
declare <NAME> [<DESCRIPTION>] [<TYPE>] [<NUMBERS>]
:
<NAME> - ;
<DESCRIPTION> - ;
<TYPE> - (blf, default, presence)
<NUMBERS> - () .

1:

```
/domain/test.domain/lists/declare tr1_black_list_in " " default 4001 4002
```

2:

teleconference.

/domain/voip.local/lists/declare 121 teleconference _1 100 101 102 103 104 105
List successfully declared

info

.
:
domain/<DOMAIN>/lists/info
:
info <NAME>
:
<NAME> - .
:

```
/domain/test.domain/lists/info tr1_black_list_in
```

list

```
.  
:  
domain/<DOMAIN>/lists/info  
:  
list
```

```
:  
.  
:  
  
domain/pk.ssw/lists/list  
  
Name      Description  
black blacklist  
ttt      Testing numbers list
```

remove

```
.  
:  
domain/<DOMAIN>/lists/remove  
:  
remove <LIST>  
:  
<LIST> - .  
:  

```

```
/domain/test.domain/lists/remove tr1_black_list_in  
List successfully removed
```

set

```
.  
:  
domain/<DOMAIN>/lists/set  
:  
set <NAME> [<PROPERTY> | [<VALUE>]  
:  
<NAME> - ;  
<PROPERTY> - (type - , description - numbers - );
```

```
<VALUE> -  
<PROPERTY> = type - default (/ , blf presence )  
<PROPERTY> = description - , ;  
<PROPERTY> = numbers - , .
```

:

```
/domain/test.domain/lists/set tr1_black_list_in description " "  
Property successfully setted  
  
/domain/test.domain/lists/set tr1_black_list_in type presence  
Property successfully setted  
  
/domain/test.domain/lists/set tr1_black_list_in numbers 4001 4002  
Property successfully setted
```

name-set

.

:

domain/<DOMAIN>/lists/name-set

:

numbers-add <NAME> <NEWNAME>

:

```
<NAME> - ;  
<NEWNAME> - .
```

:

```
domain/arko/lists/name-set testing new-name  
List name successfully changed.
```



, // .

number-add

.

:

domain/<DOMAIN>/lists/number-add

:

numbers-add <NAME> <NUMBERS>

:

```
<NAME> - ;  
<NUMBERS> - ( ).
```

:

```
/domain/test.domain/lists/number-add tr1_black_list_in 4003  
Numbers successfully added
```

number-remove

```
.
:
domain/<DOMAIN>/lists/number-remove

:
number-remove <NAME> <NUMBERS>

:
<NAME> - ;
<NUMBERS> - ().

:
```

```
/domain/test.domain/lists/number-remove tr1_black_list_in 4003 4004
Numbers successfully removed
```

(BLF Presence)

```
:
• (low) - ;
• (normal) - low, normal;
• (high) - low, normal, high.
```

number-delete-property

```
( ) .
- priority.

:
domain/<DOMAIN>/lists/number-delete-property

:
numbers-delete-property <NAME> priority [<NUMBERS>]

:
<NAME> - ;
<NUMBERS> - ().

:
```

```
./lists/numbers-delete-property black_list_out priority 101 102 103
Property successfully deleted
```

numbers-set-property

```
.
priority (), .
,, .

:
domain/<DOMAIN>/lists/numbers-set-property

:
numbers-set-property <NAME> priority <PRIORITY> [<NUMBERS>]

:
<NAME> - ;<PRIORITY> - :
• (low) - ;
```

- (normal) - low, normal;
- (high) - low, normal, high.

<NUMBERS> - ().

:

```
domain/testing/lists/numbers-set-property ttt priority normal 2219 2221
Property successfully setted
```



BLF-

1:

BLF- , :

1. 100 101, 102
2. 101, 102 100 .

:

1. :

```
/domain/test.domain/lists/declare my_blf my_first_blf_list blf 100 101 102
```

2. low 101 102, .

```
vragov@[mycelium1@ecss2]:/$ /domain/test.domain/lists/numbers-set-property my_blf priority low 10{1-2}
Property successfully setted
```

3. 100 normal, 101 102.

2:

1. BLF- , :
2. 100 101, 102, 103.
3. 101 102 103.
4. 101 102 100.
5. 103 .

:

1. :

```
/domain/test.domain/lists/declare my_blf blf my_first_blf_list 100 101 102 103
```

2. high 100, .

```
vragov@[mycelium1@ecss2]:/$ /domain/test.domain/lists/numbers-set-property my_blf priority high 103
Property successfully setted
```

3. low 103, high, normal.

```
vragov@[mycelium1@ecss2]:/$ /domain/test.domain/lists/numbers-set-property my_blf priority high 103
Property successfully setted
```

4. 101 102 normal, low .