

/domain/<DOMAIN>/sip/user/profile

- [clean](#)
- [del](#)
- [info](#)
- [list](#)
- [set](#)

SIP.

SIP- ["SIP-"](#)

 <DOMAIN> - .

clean

SIP

 --force, ., . "tab" !

:

/domain/<DOMAIN>/sip/user/profile/clean

:

clean PROFILE_ID [--force]

:

<PROFILE_ID>- ID ;
[--force]- .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/sip/user/profile/clean soft_client
[clean] Set parameters to default value
continue: yes/no ?> yes
Executed on the sip1@ecss2

Profile ID          Profile set

soft_clientauto_answer_version = by_user_set
        concurrency_blf = false
        node_control = false
        templates = -
```

```
[exec at: 24.03.2019 09:52:19, exec time: 5s 301ms, nodes: sip1@ecss2]
```

del

SIP.

 --force, ., . "tab" !

:

/domain/<DOMAIN>/sip/user/profile/del

:

del PROFILE_ID [--force]

:

<PROFILE_ID> - ID;
[--force] - .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/sip/user/profile/del vp12 --force
Executed on the sip1@ecss1
ok

[exec at: 24.03.2019 09:54:16, exec time: 75ms, nodes: sip1@ecss1]
```

info

SIP.

:

/domain/<DOMAIN>/sip/user/profile/info

:

info PROFILE_ID

:

<PROFILE_ID> - ID .

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/sip/user/profile/info vp12
Executed on the sip1@ecss1

Profile ID          Profile set
vp12                auto_answer_version = by_user_set
                    concurency_blf = true
                    node_control = false
                    templates = vp

[exec at: 24.03.2019 09:51:05, exec time: 66ms, nodes: sip1@ecss1]
```

list

SIP. , .

:

/domain/<DOMAIN>/sip/user/profile/list

:

list

:

.

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/sip/user/profile/list
Executed on the sip1@ecss2
```

```
Profile ID User-Agent template
```

```
soft_clientgrandstream
vp12          vp
```

```
[exec at: 24.03.2019 09:49:50, exec time: 75ms, nodes: sip1@ecss2]
```

set

```
SIP-. ID , .
```

```
. . . .
```



```
! , !
:
new - ( " ");
exists - ;
change - () .
```

```
:
```

```
/domain/<DOMAIN>/sip/user/profile/set
```

```
:
```

```
set PROFILE_ID KEY = VALUE[, ...]
```

```
:
```

```
<PROFILE_ID> - ID ; <KEY> - , :
```

- auto_answer_version - .;
- concurency_blf - ., true|false (- false);
- node_control - ., true|false (- false);
- templates - , User-Agent ;
- extended_blf - Endpoint States BLF. true|false(- false).

```
:
```

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/sip/user/profile/set vp12 auto_answer_version = by_user_set,
concurency_blf = true, templates = VP
Executed on the sip1@ecss1
new
```

```
[exec at: 24.03.2019 09:43:38, exec time: 91ms, nodes: sip1@ecss1]
```