

/domain/<DOMAIN>/tc/meeting

(Teleconference) .

- [active/info](#)
- [active/list](#)
- [history](#)
- [info](#)
- [list](#)
- [new](#)
- [remove](#)
- [set_greeting_url](#)
- [set_group_description](#)
- [set_public](#)
- [set_open](#)

/domain/<DOMAIN>/tc/meeting .

active/info

:

domain/<DOMAIN>/tc/meeting/active/info

:

active/info

:

:

domain/Domain/tc/meeting/active/info

Id	Name	Description	Members	State	Voice	Hold	
836216376F0	test-tc-1	desc	801 (*)	in_confon			
				802	online	off	
				803	online	off	*
836216376F1	test-tc-2	desc	901 (*)	in_confon			
				902	online	off	
				903	online	off	

Legend:

Member with asterisk (*) - is master

If member is hold, then there is asterisk (*) in column 'Hold'

active/list

:

domain/<DOMAIN>/tc/meeting/active/list

:

active/list

:

:

```
admin@[mdl@ecss1#ECSS 010070]:/$ domain/tm.autotests/tc/meeting/active/list

      Id      Name Description

83623E0EE3Dtest1
83623E0EE3Dtest1
```

history

:

```
domain/<DOMAIN>/tc/meeting/history
```

:

```
history [info <ID> | last <LIMIT> [<ORDER_BY> <SORT_BY>]]
```

:

```
info -      ;
<ID> - -    ;

last -      ;<LIMIT> - - ;
<ORDER_BY> - ,      :

    • id -      ;
    • name -    ;
    • start_time - ;
    • stop_time - ;

<SORT_BY> - <ORDER_BY> :

    • asc -    ;
    • desc - .
```

:

```
admin@[mycelium1@ecss1]:/$ domain/tc.domain/tc/meeting/history info 1211
Name: default
Master: 1510
Start date: 2015/06/27 22:36:54
Stop date: 2015/06/27 22:38:58
Duration: 0:02:03
Members: [ "6000", "6001", "6002", "6003", "6004", "6005", "6006", "6007", "6008",
           "6126", "6127", "6128", "6129", "6130", "6131" ]

admin@[mycelium1@ecss1]:/$ domain/pk.domain/tc/meeting/history last 5 start_time desc

-----
| # |      Name      |      Start Date      |      Stop Date      | Duration |
|---+-----+-----+-----+-----+
|1680|default         |2015/07/07 08:50:16|2015/07/07 08:50:18|0:00:01 |
|1679|test_conference |2015/07/07 08:48:16|2015/07/07 08:48:20|0:00:03 |
|1678|test_conference |2015/07/07 08:48:11|2015/07/07 08:48:13|0:00:02 |
|1677|default         |2015/06/29 10:02:33|2015/06/29 10:02:33|0:00:00 |
|1676|test1           |2015/06/29 09:54:19|2015/06/29 09:54:57|0:00:38 |
-----
```

info

:

domain/<DOMAIN>/tc/meeting/info

:

info [<TEMPLATE>]

:

<TEMPLATE> - .

:

```
admin@[mycelium1@ecss1]:/$ domain/tc.domain/tc/meeting/info 8362410A037

      Id           Name           DescriptionGreeting URL           Members
8362410A037new_test_conferencebla           1: first_group
                                           1410:
                                           role: passive
                                           1411:
                                           role: passive
                                           2:
                                           1412:
                                           role: passive
                                           1413:
                                           role: passive
```

list

.

:

domain/<DOMAIN>/tc/meeting/list

:

list

:

.

:

```
admin@[mycelium1@ecss1]:/$ domain/test.domain/tc/meeting/list

      Id           Name           Description
default    default
8362410A037new_test_conferenceMy desc
836227F9932reserve_test
83624288FE2test_conf
```

new

.

:

domain/<DOMAIN>/tc/meeting/new

:

new <Meeting> <Description>

:
<Meeting> - ;
<Description> - .
:

```
admin@[mycelium1@ecss1]:/$ domain/pbx.test/tc/meeting/new test_meeting "Meeting description"
Meeting has been declared
```

remove

.
:
domain/<DOMAIN>/tc/meeting/remove

:
new <Meeting>

:
<Meeting> - .
:

```
admin@[mycelium1@ecss1]:/$ domain/tc.test/tc/meeting/remove test_meeting
Meeting test_meeting successfully removed
```

set_greeting_url

.
:
domain/<DOMAIN>/tc/meeting/set_greeting_url

:
set_greeting_url <Meeting> <URL>

:
<Meeting> - ;
<URL> - URL .
:

```
admin@[mycelium1@ecss1]:/$ domain/pbx.test/tc/meeting/set_greeting_url test_template system://sounds
/ai_conference_prompt.wav
Greeting message url has set
```

set_group_description

.
:
domain/<DOMAIN>/tc/meeting/set_group_description

:
set_group_description <Meeting> <GroupNumber> <Member>

```
:
<Meeting> - ;
<GroupNumber> - ;
<GroupName> - .

:

admin@[mycelium1@ecss1]:/$ domain/pbx.test/tc/meeting/set_group_description template2 1 this_is_the_test
Description has set
```

set_public

```
.

:

domain/<DOMAIN>/tc/meeting/set_public

:

set_public <Meeting> <Public>

:

<Meeting> - ;
<Public> - , true/false.

:

admin@[mycelium1@ecss1]:/$ domain/pbx.test/tc/meeting/set_public template true
Public access for this template has set
```

set_open

```
.

|
|  ~,  ( ).
|
|
.

:

domain/<Domain>/tc/meeting/set_open

:

set_open <Meeting> <IsOpen>

:

<Meeting> - ;
<IsOpen> - , true/false.

:

admin@[mycelium1@IBM]:/$ domain/test.domain/tc/meeting/set_open meeting_by_101 true
The open acces changed from false to true
```