

/domain/<DOMAIN>/tts

TTS, .

- "core_trike_tts" TTS
 - clean
 - info
 - set
- FTP-
 - clean
 - info
 - set

"core_trike_tts" TTS

core_trike_tts TTS, .

1 - "core_trike_tts" TTS,

actual_calls_archive_size	1000	, service_actual_calls.
actual_calls_enabled	true	, (true) (false) ().
adaptation	undefined	
autoclean_enabled	true	, .
autoclean_start_at	every 1 day at 00:00	. : - every <N> (day/week/month/year) at <HH:MM>, <N> - <N> (,,) ,, MySQL., "every 1 day at 00:00", . - at <DD.MM.YYYY HH:MM:SS> - , ., "at 22.12.2014 15:00:00" , 22 2014 15:00.
cdr_generation_enabled	true	, (true) (false) CDR CDR-.
cdr_filed_delimiter	semicolon	CDR: tab - Tab (\t); space - (); comma - (,); semicolon - (;).
cdr_type	normal	CDR-: (extended), (normal) (manual). : - CODEC - ; - T_DNA - , . manual CDR manual_cdr_columns

cdr_time_roun- ding	downside	CDR . : downside - , (2999 2-x); upside - . > 0 - (1001 2-x); downside_with_delta - , <= 850, , .: 200, 1 - 1 ; upside_with_delta - , >= 330, , .: 200, 1 - 1 ; mathematically - . >= 500 - , - ; millisecond - CDR .
manual_cdr_col- umns	type, datetime, kod_a, kod_b, n_tr_gr_a, n_tr_gr_b, t_ecd, t_dba, cause_isup, cause_int, completind, origin_dig, dialed_dig, actsusb, categ_a, place, rec_seq, servuser, servindic, treatment, conn_id, redirected, redirection, orig_called, src_ip, dst_ip, port_a, port_b, diagnostic, signal_src_ip, signal_dst_ip, signal_src_port, signal_dst_port, call_record_a, call_record_b.	, CDR . , .
enabled	true	, (true) (false) TTS (, CDR).
partial_cdr_time- out	300	, . , "partial CDR", .
purge_older_than	2 month	, . (hour[s]), (day[s]), (week[s]), (month[s]), (year[s]).
sign_cdr_enabled	false	, ("true") CDR- CDR-. CDR- SIGN, . , CDR- CDR- "final", , "SIGN", . "SIGN" CDR-.

cdr_type:

normal

- type
- datetime
- kod_a
- kod_b
- n_tr_gr_a
- n_tr_gr_b
- t_ecd
- t_dba
- cause_isup
- cause_int
- completind
- dialed_dig
- actsusb
- categ_a
- place
- rec_seq
- servuser
- servindic
- treatment
- conn_id
- redirected
- redirection
- orig_called
- src_ip
- dst_ip
- port_a
- port_b
- diagnostic

extended

- type
- datetime
- kod_a
- kod_b
- n_tr_gr_a
- n_tr_gr_b
- t_ecd
- t_dba
- t_dna
- cause_isup

- cause_int
- completind
- dialed_dig
- actsusb
- categ_a
- place
- rec_seq
- servuser
- servindic
- treatment
- conn_id
- redirected
- redirection
- orig_called
- src_ip
- dst_ip
- port_a
- port_b
- media_proxy
- diagnostic
- codec

manual

- type
- datetime
- kod_a
- kod_b
- nai_a
- nai_b
- n_tr_gr_a
- n_tr_gr_b
- t_ecd
- t_dba
- cause_isup
- cause_int
- completind
- origin_dig
- dialed_dig
- actsusb
- categ_a
- place
- rec_seq
- servuser
- servindic
- treatment
- conn_id
- redirected
- redirection
- orig_called
- src_ip
- dst_ip
- port_a
- port_b
- diagnostic
- signal_src_ip, signal_dst_ip
- signal_src_port
- signal_dst_port
- call_record_a
- call_record_b

manual

clean

```

.

:

/domain/<DOMAIN>/tts/properties/clean

:

clean [<FIELD>]

:

<FIELD> - , , 1.
```

:

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/tts/properties/clean adaptation
Property adaptation values successfully restored
```

info

"core_trike_tts" TTS.

:

/domain/<DOMAIN>/tts/properties/info

:

info [<FIELD>]

:

<FIELD> - , 1.

:

"core_trike_tts" TTS "test.domain".

```
admin@[mycelium1@ecss1]:/$ domain/biysk.local/tts/properties/info

      Property      Domain
Value
actual_calls_archive_sizebiysk.
local1000
actual_calls_enabled      biysk.
localtrue
adaptation                 biysk.
localdefault_adaptation
autoclean_enabled         biysk.
localtrue
autoclean_start_at        biysk.localevery 1 day at 00:
00
cdr_field_delimiter        biysk.localsemicolon
(;)
cdr_generation_enabled     biysk.
localtrue
cdr_time_rounding          biysk.
localdownside
cdr_type                   biysk.
localextended
enabled                    biysk.
localtrue
manual_cdr_columns         biysk.localtype, datetime, kod_a, kod_b, nai_a, nai_b, n_tr_gr_a, n_tr_gr_b, t_ecd,
t_dba,
                                cause_isup, cause_int, completind, origin_dig, dialed_dig, actsusb,
categ_a, pla
                                ce, rec_seq, servuser, servindic, treatment, conn_id, redirected,
redirection, o
                                rig_called, src_ip, dst_ip, port_a, port_b,
diagnostic
partial_cdr_timeout        biysk.
local300
purge_older_than           biysk.local2
month
sign_cdr_enabled           biysk.
localfalse
```

:

- Property - ;

- Domain - ;
- Value - .

set

"core_trike_tts" TTS.

:

/domain/<DOMAIN>/tts/properties/set

:

set <FIELD> <VALUE>

:

<FIELD> - , 1;
<VALUE> - .

:

```
elena@[mycelium1@ecss1]:/$ domain/test.domain/tts/properties/set cdr_type normal
Property "cdr_type" successfully changed from:
normal
to
normal.
```

FTP-

"tts_ftp_server" - FTP-, MySQL .

2- "tts_ftp_server" TTS,

password	cdr	FTP-

clean

.

:

/domain/<DOMAIN>/tts/ftp/properties/clean

:

clean [<Field>]

:

<Field> - , , 2.

:

```
elena@[mycelium1@ecss1]:/$ domain/test.domain/tts/ftp/properties/clean password
Property password values successfully restored
```

info

"tts_ftp_server" TTS.

:

/domain/<DOMAIN>/tts/ftp/properties/info

:
info [<FIELD>]
:
<FIELD> - , 2.

:
"tts_ftp_server" TTS "test.domain".

```
elena@[mycelium1@ecss1]:/$ domain/test.domain/tts/ftp/properties/info  
  
PropertyDomainValue  
  
passwordp.city"cdr"
```

:
• Property - ;
• Domain - ;
• Value - .

set

"tts_ftp_server" TTS.

:
/domain/<DOMAIN>/tts/ftp/properties/set

:
set <FIELD> <VALUE>

:
<FIELD> - , 2;
<VALUE> - .

:

elena@[mycelium1@ecss1]:/\$ domain/test.domain/tts/ftp/properties/set password cdr
Property "password" successfully changed from:
"cdr"
to
"cdr" .