

<conditions>

- <calling>
- <called>
- <cdpn>
- <cgpn>
- <time>
- <date>
- <weekday>
- <timetable>
- <tag>
- <final>
- <cause>
- <ocdpn>

<conditions> , .

<conditions> :

```
<conditions>
  <calling/>
  <cdpn/>
  <cgpn/>
  <time/>
  <date/>
  <weekday/>
  <tag/>
  <final/>
  <cause/>
</conditions>
```

- calling - ;
- cdpn - ();
- cgpn - ();
- time - ;
- date - ;
- weekday - ;
- tag - , "default";
- final - : ;
- cause - .

<conditions> .

<calling>

.

```
<calling access_private="booleanType"
  access_local="booleanType"
  access_zone="booleanType"
  access_intercity="booleanType"
  access_international="booleanType"
  access_emergency="booleanType"
  have_access_to="atomType"
  category="atomType"
  caller_id="stringType"
  display_name="stringType"
  sorm_digits="stringType"
  sorm_ni="atomType"
  interface_group="stringType"
  iface="binaryType"/>
```

- access_private - access_type/access_private.out;

- access_local - access_type/access_local.out;
- access_zone - access_type/access_zone.out;
- access_intercity - access_type/access_intercity.out;
- access_international - access_type/access_international.out;
- access_emergency - access_type/access_emergency.out;
- have_access_to - (access_matrix);
- caller_id - ;
- interface_group - ;
- iface - ;
- display_name - ;
- sorm_digits - , ;



ECSS-10, , 268

- sorm_ni - , , :
 - private - ;
 - local - ;
 - zone - ;
 - intercity - ;
 - international - ;
 - emergency - .
- category - , :

1 –

	(ISUP)	()
unknownAtThisTime	0	
operatorFrench	1	
operatorEnglish	2	
operatorGerman	3	
operatorRussian	4	
operatorSpanish	5	
reserved	9	
ordinarySubscriber	10	1 - ""
subscriberWithPriority	11	4 - ""
dataCall	12	8 - ""
testCall	13	
spare	14	
payphone	15	6 - " "
category0	224	
hotelsSubscriber	225	2 - "-"
freeSubscriber	226	
paidSubscriber	227	7 - ""
localSubscriber	228	3 - "" (" ")
localTaksofon	229	9 - " "
autoCallI	240	
semiautoCallI	241	
autoCallII	242	
semiautoCallII	243	
autoCallIII	244	
semiautoCallIII	245	

autoCallIV	246	
semiautoCallIV	247	

<calling> , .

<called>

```
<called sorm_digits="stringType"
sorm_ni="atomType"/>
```

- sorm_digits - , ;
- sorm_ni - , , :
 - private - ;
 - local - ;
 - zone - ;
 - intercity - ;
 - international - ;
 - emergency - ;

<called> , .

<cdpn>

```
<cdpn digits="Digits"
nai="Nai"
incomplete="boolean"
inni="Inni"
npi="Npi"
ni="Ni"/>
```

- digits - , ;
- nai - (NatureOfAddressInformation), : subscriberNumber, unknown, nationalNumber, internationNumber;
- incomplete - , :
 - false - ,
 - true - ;
- inni - (InternalNetworkNumberIndicator), :
 - routingToInternalNumberAllowed – ,
 - routingToInternalNumberNotAllowed – ;
- npi - (NumberingPlanIndicator), : isdnTelephony, dataNumberingPlan, telexNumberingPlan, reserved1 (5), reserved2 (6), reserved3 (7);
- ni - (NumberIndicator), :
 - private - ,
 - local - ,
 - zone - ,
 - intercity - ,
 - international - ,
 - emergency - .

<cgpn>

```
<cgpn digits="Digits"
  nai="Nai"
  incomplete="boolean"
  npi="Npi"
  apri="Apri"
  screening="Screening"
  ni="Ni"/>
```

- digits - , , ;
- nai - (NatureOfAddressInformation), : subscriberNumber, unknown, nationalNumber, internationalNumber;
- incomplete - , :
 - false - ,
 - true - ;
- npi - (NumberingPlanIndicator), : isdnTelephony, dataNumberingPlan, telexNumberingPlan, reserved1 (5), reserved2 (6), reserved3 (7);
- apri - (AddressPresentationRestrictionIndicator):
 - presentationRestricted - ,
 - presentationAllowed - ,
 - addressNotAvailable - ;
- screening - , :
 - userProvidedNotVerified - , ;
 - userProvidedVerifiedAndPassed - , ;
 - userProvidedVerifiedAndFailed - , ;
 - networkProvided - .
- ni - (NumberIndicator), :
 - private - ;
 - local - ;
 - zone - ;
 - intercity - ;
 - international - ;
 - emergency - .

<time>

, ::-:, -, -.

```
<time value="TimeMask"/>
```

- value -

<date>

, :1.1.1-2.2.2, -, -, -.

```
<date value="DateMask"/>
```

- value -

<weekday>

, 1,2,...,X, - (1 7). 1 7 .

```
<weekday value="WeekdayMask" day_types="DayTypes" />
```

- value -
- day_types - , . :

- day-off - ;
- half-holiday - ;
- holiday - ;
- work -



value day_types .

:

```
<weekday value="1,2,3,4,5" day_types="day-off,holiday" />
```

<timetable>

, .

```
<timetable value="Timetable" />
```

- value - . [Hc_calendar_timetable](#) - , (Calendar).



<time>, <weekdays>, <timetable>, .

:

```
<timetable value="working_time" />
```

<tag>

, .

```
<tag value="Tag"/>
```

- value - , "tag" , . - "default".

<final>

. () ("enblock").

```
<final value="boolean"/>
```

- value - , :
 - true - ;
 - false - .

<cause>

.
"Cause".
"Cause", (' ' ' ' ' ' ' ').

```
<cause value="Cause"/>
```

- cause - .

<ocdpn>

, .

```
<ocdpn digits="Digits"
  nai="Nai"
  incomplete="boolean"
  npi="Npi"
  apri="Apri"
  ni="Ni"
  empty="Empty"
  category="Category"/>
```

- digits - , ;
- nai - (NatureOfAddressInformation), : subscriberNumber, unknown, nationalNumber, internationalNumber;
- incomplete - , ;
- false - ,
- true - ;
- npi - (NumberingPlanIndicator), : isdnTelephony, dataNumberingPlan, telexNumberingPlan, reserved1 (5), reserved2 (6), reserved3 (7);
- apri - (AddressPresentationRestrictionIndicator):
 - presentationRestricted - ,
 - presentationAllowed - ,
 - addressNotAvailable - ;
- ni - (NumberIndicator), :
 - private - ;
 - local - ;
 - zone - ;
 - intercity - ;
 - international - ;
 - emergency - .
- empty - OriginalCalledNumber (, - (digits, nai, incomplete, npi, apri, ni)
 - false - OriginalCalledNumber ;
 - true - OriginalCalledNumber ;
- category - , 1.