

<result>

- <local>
- <teleconference>
- <ivr>
- <external>
- <direction>
- <incomplete>
- <no_route>
- <continue>
- <next>

<result> .

```
<result>
  Result
</result>
```

- Result - , : local; external; incomplete; no_route; continue.

<local>

.
, , , , .
:

```
<result>
  <local/>
</result>
```

:

```
<result>
  <local>
    <continue tag="not_local"/>
  </local>
</result>
```

vdn:

```
<rule name="local_calls">
  <conditions>
    <cdpn digits="1???%"/>
  </conditions>
  <result>
    <local vdn="{1,2,3,4}"/>
  </result>
</rule>
```

vdn :

```
<local vdn="[CGPN|CDPN|RGN{DIGITS}]" />
```

cdpn.

- tag - , . , .. - .

<teleconference>

(); , , .

:

```
<result>
  <teleconference/>
</result>
```

<ivr>

ivr (); , , .

: ivr , .

:

```
<result>
  <ivr script="IvrScript"/>
</result>
```

- script - ivr , .

<external>

(, ..), , , .

(, ..), , , .

:

```
<result>
  <external>
    <trunk value="Interface1" weight="50" max_load="80%"/>
    <trunk value="Interface2" weight="50" max_load="80%"/>
    <trunk value="Interface3" weight="10"/>
  </external>
</result>
```

- trunk - , (0. , -. , .
- value -
- weight - , , , . , . (1). , (""). , . , , , , .
- max_load - (,), : %- (). - . , , max_load - . - . : , max_load weight - , - weight. , :

```
<external>
  <trunk value="ems1" weight="50" max_load="60%"/>
  <trunk value="ems2" weight="50"/>
</external>
```

ems1 20. , ems1 60% (.. < 12), . .. ems1, ems2 weight - , () . , >= 12 - ems2.

<direction>

(direction); , , .

:

```
<result>
  <direction value="DirectionName"/>
</result>
```

- value - .

: /domain/<DOMAIN>/direction/

<incomplete>

. , , .

:

```
<result>
  <incomplete timeout="TimeoutInMilliseconds"/>
</result>
```

- timeout - , , .



<incomplete> <conditions> <final value="false" />.

<no_route>

. , .

:

```
<result>
  <no_route isup_cause="ISUPCause"/>
</result>
```

- isup_cause - , , isup , rel.

<continue>

, ().

:

```
<result>
  <continue context="ContextName" tag="Tag"/>
</result>
```

- context - , . , ;
- tag - , "tag", , .

<next>

. , <actions>.

:

```
<result>
  <next tag="Tag"/>
</result>
```

- tag — , "tag", , .