

/

(Calling, Called, Original called, Redirecting, Connected, (ni, nai, apri ..)) . , (,) :

```

<rule name="to_trunk">
  <result>
    <external>
      <trunk value="Trunk1" />
      <trunk value="Trunk2" />
    </external>
  </result>
</rule>

```

, CDR .

:

- - , . ECSS-10(,), .
- - , TTS., , , TTS.

, - (, TTS) //, , TTS.

- in out, . : /var/lib/ecss/modification/ctx/src/<DOMAIN>
 adaptation, . : /var/lib/ecss/adaptation/ctx/src/<DOMAIN>.
 /, (action) . , :

- finish - / , / ;
- continue - / , ;
- error - ,.. (,).

ECSS(,). :

- modifier - / .

:

domain/p.city/sorm/info adaptation

Property	Domain	Value
adaptation	p.cityto_sorm	


CDR :

domain/p.city/tts/properties/info adaptation

Property	Domain	Value
adaptation	p.cityto_tts	

:

Прохождение вызова с учетом модификаторов номеров



: / ECSS. (ecss-core) (,). , . . . , . .

, N, .
 1, , 1,
 1. 1 , 1. TTS,, TTS, .

, 1 , 2. , 1. , 2 2 , 2(1).

:

- , TTS, TTS, ;
- , :

```

80600997809.10.2018 11:16:0released 240101 240505 240101 240505n 0stException
12SNumber's modification stoppN
0
by no rule 7 ed
    
```

```
<modifiers name="ContextName" description="Description">
  <in>
    <rule name="RuleNameIn" description="Description">
      <conditions>
        <!--      6.7      -->
        <cdpn/>
        <cgpn/>
        <rgn/>
        <ocdpn/>
        <cn/>
        <time/>
        <date/>
        <weekday/>
        <tag/>
      </conditions>
      <actions>
        <!--      6.7      -->
        <cdpn/>
        <cgpn/>
        <rgn/>
        <ocdpn/>
        <cn/>
        <tag/>
      </actions>
      <result>
        <finish/>
        <continue/>
        <error/>
      </result>
    </rule>
  </in>
  <out>
    <rule name="RuleNameOut" description="Description">
      <conditions>
        <!--      6.7      -->
        <cdpn/>
        <cgpn/>
        <rgn/>
        <ocdpn/>
        <cn/>
        <time/>
        <date/>
        <weekday/>
        <tag/>
      </conditions>
      <actions>
        <!--      6.7      -->
        <cdpn/>
        <cgpn/>
        <rgn/>
        <ocdpn/>
        <cn/>
        <tag/>
      </actions>
      <result>
        <finish/>
        <continue/>
        <error/>
      </result>
    </rule>
  </out>
</modifiers>
```

```

<adaptation name="ContextName" description="Description">
  <rule name="RuleNameIn" description="Description">
    <conditions>
      <!--      6.7      -->
      <cdpn/>
      <cgpn/>
      <rgn/>
      <ocdpn/>
      <cn/>
      <time/>
      <date/>
      <weekday/>
      <tag/>
    </conditions>
    <actions>
      <!--      6.7      -->
      <cdpn/>
      <cgpn/>
      <rgn/>
      <ocdpn/>
      <cn/>
      <tag/>
    </actions>
    <result>
      <finish/>
      <continue/>
      <error/>
    </result>
  </rule>
</adaptation>

```

cdpn, cgpn, rgn, ocdpn, cn, time, date, weekday, tag , . digits cdpn, cgpn, rgn, ocdpn, cn .

- S, /, digits, /SMG.

:

```

<?xml version="1.0"?>
  <modifiers xmlns:xs="http://www.w3.org/2001/XMLSchema-instance" xs:noNamespaceSchemaLocation="ecss_routing.
xsd" name="city">
    <rule name="ecss10_rule">
      <conditions>
        <rgn digits="111???" />
      </conditions>
      <actions>
        <rgn digits="810{4,5,6}999" />
      </actions>
      <result>
        <finish/>
      </result>
    </rule>
    <rule name="smg_rule">
      <conditions>
        <cgpn digits="S111xxx" />
      </conditions>
      <actions>
        <cgpn digits="S---+810XXX999" />
      </actions>
      <result>
        <finish/>
      </result>
    </rule>
  </modifiers>

```

rgn (ECSS10) rgn (SMG) .

/

:

```
##  
  
antony@mycelium1@ryabkov]:/$ domain/p.city/iface/user-set pa_sip eltex_office EltexOffice modifier  
modification_context_1  
Property 'modifier' successfully changed to 'modification_context_1' for interfaces:  
EltexOffice  
  
##  
  
antony@mycelium1@ryabkov]:/$ domain/p.city/iface/group-set -g eltex_office -p modifier  
modification_context_1  
Defined iface resources group property modifier for eltex_office  
  
##  
  
antony@mycelium1@ryabkov]:/$ domain/p.city/iface/group-set -p modifier modification_context_1  
Defined iface resources group property modifier for *
```

[/domain/<DOMAIN>/modifiers/](#).

[domain/<DOMAIN>/adaptation/](#).