

access_group		(domain/<some_domain>/access-group/ls-groups)
access_type	(,)	(domain/<some_domain>/access-type/info)
ai_<>		<> []
apri		presentationAllowed presentationRestricted addressNotAvailable spare
billing_id	User-Name(1) RADIUS	string
billing_password	User-Password(2) RADIUS	string
category		unknownAtThisTime - 0 operatorFrench - 1 operatorEnglish - 2 operatorGerman - 3 operatorRussian - 4 operatorSpanish - 5 reserved - 9 ordinarySubscriber - 10 (1 - "") subscriberWithPriority - 11 (4 - "") dataCall - 12 (8 - "") testCall - 13 spare - 14 payphone - 15 (6 - "") category0 - 224 hotelsSubscriber - 225 (2 - "") freeSubscriber - 226 paidSubscriber - 227 (7 - "") localSubscriber - 228 (3 - "" (" ")) localTaksofon - 229 (9 - " ") autoCallI - 240

		semiautoCallI - 241
		autoCallIII - 242
		semiautoCallIII - 243
		autoCallIII - 244
		semiautoCallIII - 245
		autoCallIV - 246
		semiautoCallIV - 247
cdr_group	, cdr	atom
displayName	, CallerID	string
email	Email-, .	string
cn\email\release_call\enabled	,, email	boolean
cn\email\release_call\template	- email. :%CALLING%, %CALLED%, %TIME%, %DATE%, %CAUSE%, %DURATION%, %CALLERID%, %DISPLAYNAME%	string
jabber\id	JID (Jabber-), .	string
cn\jabber\release_call\enabled	,, jabber	boolean
cn\jabber\release_call\template	- . :%CALLING%, %CALLED%, %TIME%, %DATE%, %CAUSE%, %DURATION%, %CALLERID%, %DISPLAYNAME%	string
cn\jabber\incoming_call\enabled	,, jabber	boolean
cn\jabber\incoming_call\template	- . :%CALLING%, %CALLED%, %TIME%, %DATE%, %CAUSE%, %DURATION%, %CALLERID%, %DISPLAYNAME%	string
isActive		false - true -
nai		spare subscriberNumber unknown nationalNumber internationalNumber
ni		emergency - intercity - international - local - private - "" zone -
npi		spare isdnTelephony dataNumberingPlan telexNumberingPlan reserved1 reserved2 reserved3
conversation_timeout	()	integer

o_response_timeout	- ()	integer
provider		[0-9]
regime	()	(domain/<some_domain>/regime/info)
screening		userProvidedNotVerified
		userProvidedVerifiedAndPassed
		userProvidedVerifiedAndFailed
		networkProvided
support_encoding	Display Name	utf-8
		latin1
		cp-1251
line_count	, / .  "line_count\in", "line_count\out".	positive integer
line_count\in	, ().	positive integer
line_count\out	, ().	positive integer
ss\mgm\telephone	(, ,). - enabled	disabled enabled
pulse_telephone	, . - false.	boolean
placement		string
api\call\enabled	Call API. - false.	boolean