

# v1.17\_

•  
•  
•

- /etc/eltex-radius-db/manager-login
- /etc/eltex-radius-db/three\_years\_radacct

- rsync
- FTP

•  
•  
•

SoftWLC 1.8.1 shell, cron, eltex-radius-db (1.8-123).

, .  
, , .  
.

/ eltex-radius-db cron:

```
Do you want to add ThreeYearsRadacct monitor to cron? [Y/n] y
CRON server will be restarted with "service cron restart"
cron stop/waiting
cron start/running, process 7042
```

cron, /etc/cron.d/eltex-radius-db, :

```
root@vagrant-ubuntu-trusty-64:/home/vagrant# cat /etc/cron.d/eltex-radius-db
# Launch every Monday
0 0 * * 1 root /usr/lib/eltex-radius-db/three_years_radacct_wrap.sh
```



, , cron .



, cron- /etc/cron.d/eltex-radius-db, cron.

radacct . , .

. /etc/cron.daily/radius-db-partitions, , .

eltex-radius-db 3 ( ).

freeradius-eltex-db < 3.2.0, , . .

, , , .

/etc/eltex-radius-db/manager-login

 . . .

/etc/eltex-radius-db/three\_years\_radacct

ARCHIVE_DIR	"/var/ems-backup/radius/csv /"	.
PART_WEEK	26	, . , .
ARCHIVE_WEEK	156	, \$ARCHIVE_DIR, . , .
NOTIFICATION_ADDR		e-mail, , . <div> mailutils ssmtp. . .</div> <div> mailutils 1:2.99.99-1ubuntu2 . . . , . : "example@mail.org example2@mail.org"</div>

, . . rsync ftp.

### rsync

 rsync sshpass

RSYNC_REMOTE	N	rsync.
RSYNC_REMOTE_HOST	192.168.0.1	rsync.
RSYNC_REMOTE_PORT	22	rsync
RSYNC_REMOTE_USER	admin	rsync.
RSYNC_REMOTE_PASSWORD	password	rsync.

RSYNC_REMOTE_PATH	"/var/ems-backup/radius/csv"	.
-------------------	------------------------------	---

## FTP



lftp, .

FTP_REMOTE	N	ftp.
FTP_REMOTE_HOST	192.168.0.1	ftp.
FTP_REMOTE_PORT	21	ftp.
FTP_REMOTE_USER	admin	ftp.
FTP_REMOTE_PASSWORD	password	ftp.
FTP_REMOTE_PATH	"/var/ems-backup/radius/csv"	.

**/var/log/eltex-radius-db/**

**/etc/logrotate.d/radacct.**

**mailutils ssmtp ( Ubuntu).** :

:

```
apt-get install mailutils ssmtp
```

**/etc/ssmtp/ssmtp.conf** ssmtp, :

```
mailhub=192.168.1.1
AuthUser=tester@example.loc
AuthPass=password
UseTLS=NO
UseSTARTTLS=YES
```

**/etc/ssmtp/revaliases** , :

```
root:tester@example.loc:192.168.1.1:25
```

.

:

```
echo " " | ssmtp -v -s test-destination@example.loc
```

, :

```
(starttime <= end and starttime >= start) or (stoptime <= end and stoptime >= start)
```

**start** - ;

**end** - ;

**starttime** - radacct-start, ;

**stoptime** - radacct-stop, .

, ( stoptime). , .